Dart Aerospace Ltd. Thursday, 5/11/2006 11:52:13 AM Date: Kim Johnston User: **Process Sheet** : CU-DAR001 Dart Helicopters Services **Drawing Name** : SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer Job Number : 27058 : 10533 **Estimate Number** Alu: : D2573 P.O. Number **Part Number** : 5/11/2006 **Drawing Number** : D2573 REV E This issue Prsht Rev. **Project Number** : N/A : NIA Type : MACHINED PARTS First Issue **Drawing Revision** : 26974 **Previous Run** Material **Due Date** : 5/30/2006 Written By Checked & Approved By Comment **Additional Product** Job Number: Seq. #: Machine Or Operation: Description: 1.0 D6101007 7075-T7351 8.25X7.75X2.5 Comment: Qty.: Total: 12.0000 Each(s) 1.0000 Each(s)/Unit 7075-T7351 8.25X7.75X2.5 Make from D6101-007 billet for D2573 Ensure that grain is along 7.75" length Batch No: 2.0 HAAS1 Comment: HAAS CNC VERTICAL MACHINING #1 Program Batch No. 32765 Double check by: J.L. 1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets 4-Deburr and remove all machining marks 5-Tumble to remove sharp edges. CONVENTIONAL MILLING MACHINE 3.0 MILLING CONV. 4.5

06107/02

Each

**Comment: CONVENTIONAL MILLING MACHINE** 

Machine keyway as per dwg D2573 & D2574

06107/02

4.0 QC2

Page 1

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

06/07

## Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES.	
DATE	STEP	PROCEDURE CHANGE  By Date Qty Approval Mfg / Design Mgr QC Inspect	al tor
			•

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
•		Description of NC		Corrective Action Section B	Verification	Annroval	Annroval			
DATE	STEP	Section A	Initial Design Mgr	Action Description  Design Mgr  Date:	Section C	Approval Design Mgr	Approval QC Inspector			
		, <b>3</b>	·							
	·									
				1			<b>*C</b> (10.00			
						<u> </u>	<u> </u>			

Part No:	PAR #:	Fault Category:	_ NCR:	Yes No DQA:	Date: 06/07/13
NOTE: Date & initial all entries				QA: N/C Closed:	Date:

Thursday, 5/11/2006 11:52:13 AM Date: User: Kim Johnston **Process Sheet** Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services **Job Number:** 27058 Part Number: D2573 Job Number: Seq. #: Description: **Machine Or Operation:** SECOND CHECK 5.0 QC8 Comment: SECOND CHECK HAND FINISHING1 HAND FINISHING RESOURCE #1 6.0 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSIO 8.0 QC3 Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOUR & Comment: PACKAGING RESOURCE #1 Identify and Stock 5/35/ Location: 10.0 DÇ DOCUMENT CONTROL Comment: DOCUMENT CONTROL Inspection Level 21 Jr 86.07.13 Job Completion

## Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES	3				,
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector
		. 5%					
,							

NCR:		WORK ORDER NON-CONFORMANCE (NCR)										
		Description of NC		Corrective Action Section B	Verification	Approval	A					
DATE	STEP	Section A	<b>Initial</b> Design Mgr	Action Description Sign Design Mgr Date	& Section C	Design Mgr	Approval .QC Inspector					
				• :								
				·								
		<u>, , , , , , , , , , , , , , , , , , , </u>	<del> </del>									
				*								
					,4							
				*								
East-State In the control of						·						

Part No:	PAR #:	Fault Category:	NCR:	· Yes	No	DQA: _	 Date:	
NOTE: Date & initial all entries				QA: N	N/C C	losed: _	Date:	٠.

DART AEROSPACE LTD		Work Order:	27058
Description: Saddle, Aft Outboard	•	Part Number:	D2573
Inspection Dwg: D2573 Rev. E			Page 1 of 1

				Re	corded Actu	ual Dimens	ions		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.441	0-441	0-441	0-44/		
В	1.745	1.755		1.745	1748	1.745	1,747		
С	3.495	3.505		3.428	3.498	3.498	3.499		
D	1.745	1.755		1.745	1,748	1.745	1,748		
E	7.990	8.010		8.006	8.004	8,000	8.005		
F	0.490	0.510		6.502	6.499	0.496	0.497		
G	0.257	0.262	DT8683	0.259	0.259	0.259	0.251		
Н	0.375	0.380	DT8684	0.344	0.377	26347	0.377		
1	0.490	0.510		0.500	0.498	0.498	0,499		
J	1.174	1.184		1.179	1-1 78	0.498	1.177		
K	0.558	0.578		0.561	0561	0.563	0.566		
L	1.174	1.184		1.179	1.178	1.177	1.177		
М	1.365	1.375		8.1.367	1.368	1368	1.369		
N	2.495	2.505		2.495	2.497	2.497	2.496		
0	4.119	4.129		4,172	4.123	4.170	4, (2)		
Р	0.115	0.135		0.125	0.124	6.172	0-195		
Q	0.115	0.135		0.135	0-135	0./35	6.135		
R	0.240	0.260		0.251	6.249	0.250	0-249		
S	0.115	0.135			8.119	0.170	0.122		
Т	0.178	0.198		0.188	0.188	0.188	0-188		
U	3.210	3.250		3.230	3.230	3.250			
V	0.230	0.250		0.236	0.241	0.239	0.241		
W	0.115	0.135		0.123	6/24	6.120			
X	0.308	0.313		0.810	0.310	0.30	0.310		
Υ	0.760	0.765				0.765			
Z	0.352	0.372		6.365	0.364	4.869	0.365		
AA	0.470	0.530		0.560	0500	0.500	0,500		
AB	0.615	0.635		0.629	0.639	0.629	0.630		
AC	0.053	0.073		0.063	0.063		0.063		
AD	0.240	0.260		0.246	0.2.49	0.245	0.244		
AE	1.500	1.520		1.512	1:5/2	1.512	1.5/3		
AF	0.115	0.135		0.135	6.135	0.135	0.135		
AG	0.240	0.280		0.260	0.260	v.260	0.260		
AH	0.240	0.260		6.246	0.250	0.245	0-249		
Al	2.000	2.020		2.602		2.002	2,002		
AJ	0.023	0.043	***************************************	0.030	0.030	0.030	0.030		
	Acc	ept/Reje	ct						

		<i>_</i>		<u> </u>
Measured by:	en/	J.6	Audited by	me
Date:	06/06	127	Date:	04/02/04

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	·KJ	
D	05.05.05	Added dimension Al	KJ/RF.	-1
Е	05.12.05	Added dimension AJ	KJ/JLM 🚜	

DART AEROSPACE LTD	Work Order:	21058
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E	·	Page 1 of 1

				Re	ons				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.441	6.441	0.441	0.44/		
В	1.745	1.755		1. 749	1.148	1.748	1.750		
С	3.495	3.505		3.499	3.498		3.497		
D	1.745	1.755		1.747	1.748	1.749	1.750		
E	7.990	8.010		8.004	8.003	8 000	8.004	_	
F	0.490	0.510		0.500	0.501	.499	0503		
G	0.257	0.262	DT8683	0.259	0.259	0.254	0-255		
Н	0.375	0.380	DT8684	0.344	0.317	6.377	FF5.0		
1	0.490	0.510	,	0.501	0.499	200	0.495		
J	1.174	1.184		1.177	1.178	1.178			
K.	0.558	0.578	.,	0.569	0.568	1.178	0.563		
Ļ	1.174	1.184		1.177	1.177	1.179	1.179		
М	1.365	1.375		1-371	1.372	1370	1.367		
N	2.495	2.505		2.499	2.498	2,499	2.499		
0	4.119	4.129		4.124	4.123	4-122	4.122		
Р	0.115	0.135		0-130	0-129	. 126	0.124		
Q	0.115	0.135		JE 135	0.135	0.135	6.135		
R	0.240	0.260		0.251	0.249	-250	0249		
S	0.115	0.135		0.130	0-129	- 119	0.120		
Т	0.178	0.198		0.188	0.188	0.188	0-188		
U	3.210	3.250			3.230	3.230	3.230		
V.	0.230	0.250		3.700	0.242	-240	0.236		
W	0.115	0.135		0,124	0.127	-126	0.125		·
Х	0.308	0.313	,	0.810	0.310	0.310	0.310		
Υ	0.760	0.765			0.765		0.765		
Z	0.352	0.372		0.364	0.365	373	6.770		
AA	0.470	0.530		1.500	.o. 500	602.0	0.500		
AB	0.615	0.635		0.638	0.629	.627	0.678		
AC	0.053	0.073		0-063	0.063	0.063	0.063		
AD	0.240	0.260		0.250	6.250	-920	- 2 <b>48</b>		
AE	1.500	1.520		1.5/3	1,512	1.5/2	1.516		;
AF	0.115	0.135		6.135	0.135	0.135	0.135		
AG	0.240	0.280		0.260	0.260	0.260	0.260		
AH	0.240	0.260		0.249	0.248	-248	6.244		
ΑI	2.000	2.020		2.603	2.004	2.003	2.007		
AJ	0.023	0.043	L ****	0.630	0.630	0.030	0.030		•
	Acc	ept/Reje	ct			`			

Measured by:	·6/3L/Co	Audited by	me
Date:	06/06/29	Date:	06/07/04

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	1
E	05.12.05	Added dimension AJ	KJ/JLM 🔣	Gill

DART AEROSPACE LTD	Work Order:	27058
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.441	0.441	0.441	0.441		
В	1.745	1.755		1747	1746	1.746	1,748		
С	3.495	3.505		3.498	3.497	3.498	3.499		
D	1.745	1.755		1,747	1.746	1.746	1.749		
E	7.990	8.010		8,00	8.000	8.001	හි.මෙට		
F	0.490	0.510		0.50	0.499	0.499	0.495		
G	0.257	0.262	DT8683	0.253	0.259	0.255	0.259		
Н	0.375	0.380	DT8684	0.377	0-377	0.377	0.377		
ī	0.490	0.510		0.496	0.498	0-500	6.494		
J	1.174	1.184		1.177	0.498	1.176	1.175		
K	0.558	0.578		0563	0.564	6.568	0.566		
L	1.174	1.184		1.177	1,137	1.176	1,175		
М	1.365	1.375		1.368	1 366	1.367	1.369		
N	2.495	2.505		2.497	2497	7.428	2.495		
0	4.119	4.129		4.122	4.119	4.120	4.119		
Р	0.115	0.135		0.122	0.124	0-124	0.126		
Q	0.115	0.135		0.135	0.135	0-135	0.135		
R	0.240	0.260		0251	6.251	6-252	0.253		
S	0.115	0.135		6.118	0.120	0.170	0.12		
T	0.178	0.198		0.188	0.188	0.128	0.188		
כ	3.210	3.250		3.230	3.280	3.230	3.200		
V	0.230	0.250		0.237		0-240	0.241		
W	0.115	0.135		6.123	0.176	0.174	0.123		
Χ	0.308	0.313		6.310	0.310	2.310	0.310		
Υ	0.760	0.765		6.765	0.765	0.765	0.765		
Z	0.352	0.372		0.367	0.365	6-361	0.365		
AA	0.470	0.530		0.500	0.500	0.504	0.500		
AB	0.615	0.635		0639	0.627	0624	0.627		
AC	0.053	0.073		0.063	8-063	0.063	0.063		
AD	0.240	0.260		0.248	0.249	0.250	0.249		
AE	1.500	1.520		1.23	1.512	1.515	1.574		
AF	0.115	0.135		0.135	6.135	0:135	0.135		
AG	0.240	0.280		8.760	0.260	0 260	0-260		
AH	0.240	0.260		8.246	0.245	0.249	0.248		
ΑI	2.000	2.020		2.001	2.002	2.000	2.003		
AJ	0.023	0.043		0.030	0.030	0.030	0.039		
	Acc	ept/Reje	ct						

Measured by:	□ Co	Audited by	and
Date:	106/06/30	Date:	06/07/04

Date	Change	Revised by	Approved
,	New Issue	RF	
02.09.26	Re-format; Added Rev. D	KJ	
02.10.11	Re-format; Added DT8682, DT8683, DT8684	. KJ	
05.05.05	Added dimension Al	KJ/RF	- 1
05.12.05	Added dimension AJ	KJ/JLM 🚓	all
	02.09.26 02.10.11 05.05.05	New Issue  02.09.26 Re-format; Added Rev. D  02.10.11 Re-format; Added DT8682, DT8683, DT8684  05.05.05 Added dimension Al	New Issue         RF           02.09.26         Re-format; Added Rev. D         KJ           02.10.11         Re-format; Added DT8682, DT8683, DT8684         KJ           05.05.05         Added dimension AI         KJ/RF

DART AEROSPACE LTD	Work Order:	21058
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0441	0.441	<u> </u>	144.0		
В	1.745	1.755		1748	1.747	1.747	1,747		
Ċ	3.495	3.505		3.496	3,497	3. 498	3-497		
D	1.745	1.755		1.748	1 748	1-747	1.748		
Ē	7.990	8.010		8.002	8-001	8,002	8.003		
F	0.490	0.510		0.496	0,497	0-499	0.499		
G	0.257	0.262	DT8683	0.255	0.259	0259	0.259		
Н	0.375 •	0.380	DT8684	0.347	0317	0.371	0.377		
ļ	0.490	່ 0.510		c 498	0_497	0-499	0.498		
J	1.174	1.184		11197	4 178	11.177	1.177		
K	0.558	0.578		0.563	0.564	0-867	0.568		
L	1.174	1.184		11.177	4.122	0 + v 37	1,177		
М	1.365	1.375		1 366	1-367	1.369	1.367		
N	2.495	2.505		2497	2.498	2.499	7.498		
0	4.119	4.129		4.119	4.120	161.4	4,122		
Р	0.115	0.135		0.120	0-13-2	0.130	0,191		
Q	0.115	0.135		0.135	0.135	0./35	6/35		
R	0.240	0.260		6.248	0-247	0.248	७. २५७		
S	0.115	0.135		5.119	0-119	0.130	0.122		
Т	0.178	0.198		0-188	0.188	0.188	0.188		
U	3.210	3.250		3-230	3.230	3-280	3.230		
V	0.230	0.250		0.237	0.238	0.237	0.239		
W	0.115	0.135			6-193	0.124	0.123		
X	0.308	0.313		0.310	0.310	0.310	0.310		
Y	0.760	0.765		6.765	29E-0	0.361	0.765		
Z	0.352	0.372		0.359	0-359	0.361	0.365		
AA	0.470	0.530		0.500	0.500	6.500	0.500		
AB	0.615	0.635		0.625	862.0	0.624	0-69		
AC	0.053	0.073		8000	0.063	0-063	0.063		
AD	0.240	0.260		0.246	0-247		0.241		
AE	1.500	1.520		1.510	1.511	1-512	1. 513		
AF	0.115	0.135		0-135	0-135	0./35	0./35		
AG	0.240	0.280		0-260	0.260	0.260	0.260		
AH	0.240	0.260		0.246	0-248	6-247	0,246		
Αl	2.000	2.020		2.000	2.001	2.001	3.067		
AJ	0.023	0.043		050.0	0.030	0-030	0.039		
	Acc	ept/Reje	ct						

		/		
Measured by:	En /	3.6	Audited by	Til
Date:	061071	.05	Date:	06/07/04

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	1
E	05.12.05	Added dimension AJ	KJ/JLM 🚓	
				700



